

DECLARATION of PERFORMANCES

N° 04-150716-015

In conformity with the Regulation (EU) N°305/2011 of the 9 march 2011,
for the Construction Products (CPR)

Identification code of the product-type	Linear drainage chanel A15
Identification of the construction product	References of KENADRAIN : DR102AP - DRI102API
Intended use(s)	Linear drainage channels, type M, for the collection and conveyance of surface water when installed within areas only subjected to pedestrian and/or bicycles traffic.
Contact	NICOLL 37-39 rue Pierre et Marie Curie - 49309 CHOLET Cedex Tél. : +33 2.41.63.73.83 - e-mail : tech-com.nicoll@alixis.com

System of assessment	System 3
-----------------------------	----------

Test report and notified bodies

CERIB (NB1164)	CSTB (NB0679)
09DQI364 - 09DQI365 - 2013CERIB1161 - 2013 CERIB 1162 - 2013CERIB1163 - 2013CERIB1164 - 2013CERIB1165 - 2013CERIB1297 - 2013CERIB1298 - 2013CERIB1299 - 2013CERIB2005	EEM1226039387 – ES553-04-0104 – ES552-05-1177 – EEM0726004777 – ES552-05-1082 – EEM1226037289 – EEM1226039388 – EEM0626005532 – ES552-05-1039

Declared performances

<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonised technical specification</i>
Watertightness : — jointing of drainage channels	no leakage	NF EN 1433:2004 + A1:2005
Load bearing capacity, deflection under load — maximum load — permanent set	A15 < [CO/50] mm	
Durability	NPD	

The performance of the product identified by its code and its reference is in conformity with the declared performance in point “declared performances” of the regulation n°305/2011.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Fabien PEREZ
Standard Manager

Cholet, the 16 juillet 2015

DECLARATION of PERFORMANCES

N° 04-150716-125

In conformity with the Regulation (EU) N°305/2011 of the 9 march 2011,
for the Construction Products (CPR)

Identification code of the product-type	Linear drainage chanel B125
Identification of the construction product	References of KENADRAIN : DR102BG - DR102BS - DR100BC - DR101BC - DR102BC - DR103BC - DR104BC - DR152BF - DR152BC - DR202BC - DR102BN
Intended use(s)	Linear drainage channels, type M, for the collection and conveyance of surface water when installed within areas subjected to pedestrian and/or vehicular traffic and limited to footways, pedestrian areas and comparable areas, private car parks or car parking decks.
Contact	NICOLL 37-39 rue Pierre et Marie Curie - 49309 CHOLET Cedex Tél. : +33 2.41.63.73.83 - e-mail : tech-com.nicoll@alixaxis.com

System of assessment	System 3
-----------------------------	----------

Test report and notified bodies

CERIB (NB1164)	CSTB (NB0679)
09DQI364 - 09DQI365 - 2013CERIB1161 - 2013 CERIB 1162 - 2013CERIB1163 - 2013CERIB1164 - 2013CERIB1165 - 2013CERIB1297 - 2013CERIB1298 - 2013CERIB1299 - 2013CERIB2005	EEM1226039387 – ES553-04-0104 – ES552-05-1177 – EEM0726004777 – ES552-05-1082 – EEM1226037289 – EEM1226039388 – EEM0626005532 – ES552-05-1039

Declared performances

<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonised technical specification</i>
Watertightness : — jointing of drainage channels	no leakage	NF EN 1433:2004 + A1:2005
Load bearing capacity, deflection under load — maximum load — permanent set	B125 < [CO/50] mm	
Durability	NPD	

The performance of the product identified by its code and its reference is in conformity with the declared performance in point “declared performances” of the regulation n°305/2011.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Fabien PEREZ
Standard Manager

Cholet, the 16 juillet 2015

DECLARATION of PERFORMANCES

N° 04-150716-250

In conformity with the Regulation (EU) N°305/2011 of the 9 march 2011,
for the Construction Products (CPR)

Identification code of the product-type	Linear drainage chanel's C250
Identification of the construction product	References of KENADRAIN : DR100CF - DR101CF - DR102CF - DR103CF - DR104CF - DR100CH - DR101CH - DR102CH - DR103CH - DR104CH - DR100CH8015 - DR101CH8015 - DR102CH8015 - DR103CH8015 - DR104CH8015 - DR100CH1015 - DR101CH1015 - DR102CH1015 - DR103CH1015 - DR104CH1015 - DR100CH5008 - DR101CH5008 - DR102CH5008 - DR103CH5008 - DR104CH5008 - DR100CH7046 - DR101CH7046 - DR102CH7046 - DR103CH7046 - DR104CH7046 - DR100CH6028 - DR101CH6028 - DR102CH6028 - DR103CH6028 - DR104CH6028 - DR100CC - DR101CC - DR102CC - DR103CC - DR104CC - DRI100CSE - DRIG100CSE - DRI101CSE - DRIG101CSE - DRI102CSE - DRIG102CSE - DRI103CSE - DRIG103CSE - DRI104CSE - DRIG104CSE - DR100CN - DR101CN - DR102CN - DR103CN - DR104CN - DR152CF - DRI152CSE - DRIG152CSE - DR202CF - DR302CF
Intended use(s)	Linear drainage channels, type M, for the collection and conveyance of surface water when installed within areas subjected to pedestrian and/or vehicular traffic, but limited to kerb sides and non-trafficked areas of hard shoulders and similar
Contact	NICOLL 37-39 rue Pierre et Marie Curie - 49309 CHOLET Cedex Tél. : +33 2.41.63.73.83 - e-mail : tech-com.nicoll@alixaxis.com

System of assessment	System 3
-----------------------------	----------

Test report and notified bodies

CERIB (NB1164)	CSTB (NB0679)
09DQI364 - 09DQI365 - 2013CERIB1161 - 2013 CERIB 1162 - 2013CERIB1163 - 2013CERIB1164 - 2013CERIB1165 - 2013CERIB1297 - 2013CERIB1298 - 2013CERIB1299 - 2013CERIB2005	EEM1226039387 – ES553-04-0104 – ES552-05-1177 – EEM0726004777 – ES552-05-1082 – EEM1226037289 – EEM1226039388 – EEM0626005532 – ES552-05-1039

Declared performances

<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonised technical specification</i>
Watertightness : — jointing of drainage channels	no leakage	NF EN 1433:2004 + A1:2005
Load bearing capacity, deflection under load — maximum load — permanent set	C250 ≤ 1 mm	
Durability	NPD	

The performance of the product identified by its code and its reference is in conformity with the declared performance in point “declared performances” of the regulation n°305/2011.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Fabien PEREZ

Cholet, the 16 juillet 2015

Standard Manager

DECLARATION of PERFORMANCES

N° 04-150716-400

In conformity with the Regulation (EU) N°305/2011 of the 9 march 2011,
for the Construction Products (CPR)

Identification code of the product-type	Linear drainage chanel D400
Identification of the construction product	References of KENADRAIN : DR100DF - DR101DF - DR102DF - DR103DF - DR104DF - DR152DF - DR202DF - DR302DF
Intended use(s)	Linear drainage channels, type M, for the collection and conveyance of surface water when installed within carriageways of roads (including pedestrian streets), hard shoulders and parking areas, for all types of road vehicles.
Contact	NICOLL 37-39 rue Pierre et Marie Curie - 49309 CHOLET Cedex Tél. : +33 2.41.63.73.83 - e-mail : tech-com.nicoll@alixaxis.com
System of assessment	System 3

Test report and notified bodies

CERIB (NB1164)	CSTB (NB0679)
09DQI364 - 09DQI365 - 2013CERIB1161 - 2013 CERIB 1162 - 2013CERIB1163 - 2013CERIB1164 - 2013CERIB1165 - 2013CERIB1297 - 2013CERIB1298 - 2013CERIB1299 - 2013CERIB2005	EEM1226039387 – ES553-04-0104 – ES552-05-1177 – EEM0726004777 – ES552-05-1082 – EEM1226037289 – EEM1226039388 – EEM0626005532 – ES552-05-1039

Declared performances

<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonised technical specification</i>
Watertightness : — jointing of drainage channels	no leakage	NF EN 1433:2004 + A1:2005
Load bearing capacity, deflection under load — maximum load — permanent set	D400 ≤ 1 mm	
Durability	NPD	

The performance of the product identified by its code and its reference is in conformity with the declared performance in point “declared performances” of the regulation n°305/2011.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Fabien PEREZ
Standard Manager

Cholet, the 16 juillet 2015

DECLARATION of PERFORMANCES

N° 04-150716-600

In conformity with the Regulation (EU) N°305/2011 of the 9 march 2011,
for the Construction Products (CPR)

Identification code of the product-type	Linear drainage chanel E600
Identification of the construction product	References of KENADRAIN : DR102EF - DR152EF - DR202EF - DR302EF
Intended use(s)	Linear drainage channels, type M, for the collection and conveyance of surface water when installed within areas subjected to high wheel loads, e. g. ports and dock sides.
Contact	NICOLL 37-39 rue Pierre et Marie Curie - 49309 CHOLET Cedex Tél. : +33 2.41.63.73.83 - e-mail : tech-com.nicoll@alixaxis.com
System of assessment	System 3

Test report and notified bodies

CERIB (NB1164)	CSTB (NB0679)
09DQI364 - 09DQI365 - 2013CERIB1161 - 2013 CERIB 1162 - 2013CERIB1163 - 2013CERIB1164 - 2013CERIB1165 - 2013CERIB1297 - 2013CERIB1298 - 2013CERIB1299 - 2013CERIB2005	EEM1226039387 – ES553-04-0104 – ES552-05-1177 – EEM0726004777 – ES552-05-1082 – EEM1226037289 – EEM1226039388 – EEM0626005532 – ES552-05-1039

Declared performances

<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonised technical specification</i>
Watertightness : — jointing of drainage channels	no leakage	NF EN 1433:2004 + A1:2005
Load bearing capacity, deflection under load — maximum load — permanent set	E600 ≤ 1 mm	
Durability	NPD	

The performance of the product identified by its code and its reference is in conformity with the declared performance in point “declared performances” of the regulation n°305/2011.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Fabien PEREZ
Standard Manager

Cholet, the 16 juillet 2015