

## Bescheinigung/Confirmation Nr. 2019-104

Wir bescheinigen, dass die Prüfung der nachfolgend beschriebenen Bauprodukte:

**Grundkörper DallFlex und DallFlex „EPS montiert“ mit den Duschrinnen**

- CeraWall Individual
- CeraWall Select
- CeraWall Pure
- CeraFloor Select
- CeraFloor Individual
- CeraFloor Pure
- Zentrix
- CeraNiveau
- CeraFrame
- CeraFrame Individual

We confirm, that the following described building products:

**Body DallFlex and DallFlex “EPS assembled” with shower channel**

- CeraWall Individual
- CeraWall Select
- CeraWall Pure
- CeraFloor Select
- CeraFloor Individual
- CeraFloor Pure
- Zentrix
- CeraNiveau
- CeraFrame
- CeraFrame Individual

die Anforderungen folgender Normen erfüllt hat:

Abläufe für Gebäude Teil 1:  
Bodenabläufe mit Geruchverschluss mit einer Geruchverschlusshöhe von mindestens 50 mm  
Deutsche Fassung EN 1253-1:2015-01

Die Einzelergebnisse der durchgeführten Prüfung sind in den TÜVRheinland LGA-Prüfberichten Nr. 60266191-01 dokumentiert.

Diese Bescheinigung ist gültig ab 09.09.2019.

Arnsberg, 11.09.2019

DALLMER GmbH + Co.KG

Stefan Ulrich  
Entwicklung und Konstruktion

has fulfilled the requirements according to the following standards:

Gullies for buildings - Part 1:  
Trapped floor gullies with a depth water seal of at least 50 mm  
German Version EN 1253-1:2015-01

The detailed results of the test are documented in the TÜVRheinland LGA-test reports No. 60266191-01.

This certificate is valid from 09.09.2019